

MATERIAL SAFETY DATA SHEET

Product Name: GROGEL PLUS +B

SECTION I

Manufacturer's Name: Dawe's Laboratories
Address: 3355 N. Arlington Heights Rd.
Arlington Heights, IL 60004
Emergency Tel. No.: (847) 577-2020, Monday through Friday
8:00 a.m. to 5:00 p.m.
Trade Name: GROGEL PLUS
Synonym: N/A
Chemical Family: N/A
Formula: N/A
Ingredients: Plant Protein Products, Animal Protein products, Absorbent Powder, Processed Grain By-Products, Vegetable Oil, DL-Methionine, L-Lysine, Vitamin A Supplement, d-Activated Animal Sterol (Source of Vitamin D3), Vitamin E Supplement, Ascorbic Acid, Menadione Sodium Bisulfite Complex (Source of Vitamin K Activity), Calcium Pantothenate, Thiamine Mononitrate, Riboflavin Supplement, Niacin, Pyridoxine Hydrochloride, Biotin, Folic Acid, Vitamin B12 Supplement, Sodium Chloride, Lactobacillus Acidophilus, Bifidobacteria bifidum, Streptococcus faecium, Lactobacillus casei, Bacillus Subtilis, Food Grade Dye.

SECTION II: Hazardous Ingredients

None

SECTION III: Physical Data

Boiling Point (°F): N/A
Vapor Pressure (mm Hg): N/A
Vapor Density: N/A
Solubility in Water: Dispersible
Specific Gravity (H₂O=1): N/A
Percent Volatile by Weight: N/A
Evaporation Rate: N/A
Appearance and Odor: Light Tan Powder, Slightly Fishy, Vitamin Supplement Aroma

SECTION IV: Fire and Explosion Hazard Data

Flash point (method used):	N/A N/A N/A Water,
Flammable Limits-LEL:	CO ₂ or Dry Chemical.
UEL:	Extremely slippery conditions are
Extinguishing Media:	created if spilled product comes in
Special Fire Fighting Procedures:	contact with water.
	None.

Unusual Fire and Explosion Hazards:

SECTION V: Health Hazard Data

Threshold Limit Values:	N/A
Effects of Overexposure:	Excess dust may cause slight irritation
	of the respiratory tract or eyes.
Emergency and First Aid Procedures:	Flush afflicted areas with water.

SECTION VI: Reactivity Data

Stability:	Stable when stored in a cool, dry,
	covered warehouse, in original,
	unopened packets.
Hazardous Decomposition Products:	None.
<u>Hazardous Polymerization:</u>	Will not occur.

SECTION VII: Spill or Leak Procedures

Steps to be Taken in Case Material is Released or Spilled:	Remove dry material and put in
	appropriate container; flush residue
	with soapy water or 1% salt (NaCl)
	solution into drain.
	Wet Product may be very slippery.
Waste Disposal Method:	According to local regulation and
	standards.

SECTION VIII: Special Protection Information

Eye Protection:	Dust-tight goggles, if necessary.
Skin Protection:	Standard work gloves (rubber).
Respiratory Protection:	Respirator for fine dust.
Ventilation:	Adequate for dust.
Work/hygienic practices:	Comply with good manufacturing
	practices and local standards

SECTION IX: Special Precautions

Prepared by: Quality Control Dept.