

SMALL FOUNTS & WATER CUPS

A Model For Every Application, Every Species



CUPP



CUPK



CUPQ



2



65



1QW



75



0

Model 1QW Plastic Super-Start™ Waterer. Bright color attracts fowl. "See-through" jug monitors water level. Exclusive rim guard keeps birds from falling in or splashing others, reducing disease risk. Variable water level...set it low to start, high later. Low profile and wide base permit use in most brooders. Ideal size for starting large breeds or all the way with quail. Quick, easy lock-together design. Nests for easy storage. Trough is 1" (2.54 cm) deep.

Model 2 Plastic Slip-On Mason Jar Fount Base The strongest, most durable Mason Jar Fount Base made. Exclusive design allows fount to be inverted without spilling a drop. Stands up to 190° F (88° C) heat without warping. Rim around outer edge adds strength.

Model 65 Plastic Threaded Mason Jar Fount Base is popular for chicks and is also widely used as a cricket waterer. High impact styrene construction. Threads onto any one (1) quart small mouth mason jar.

Model 75 Plastic Threaded Drown-Proof Mason jar Fount Base is designed for quail, bantams, pheasant or any other tiny birds. The trough is narrow enough [1/2" (1.3 cm) wide, 1/2" (1.3 cm) deep] to prevent drownings. Same thread as Model No. 65.

Model 0 Galvanized Threaded Mason Jar Fount Base: Screws onto a one (1) quart small mouth mason jar. Die-stamped from rust-resisting steel. No seams to leak.

Model P1QT is a one (1) quart plastic jar that can be used with the following bases shown on this page - Models 2, 65, 75 and 0. Note: You can order our P1QT jar and our 75 base as Model DPF1.

Models CUPP and CUPK and CUPQ Plastic Water Cups have tabs for attachment to wire on brooders, cages, batteries and other crates. Use for small animals as well as poultry. Tabs can be cut to fit any cage. Boil and freeze resistant polyethylene construction. Ideal for poultry fanciers. Can be used as feed cups as well (see page 9).



DPF1

SMALL FOUNT & WATER CUP SPECIFICATIONS

Model	Approx. Water Capacity (liters)	Approx. Bird Capacity	Overall Size Inches (cm)	Shipping Wt./Pack		
No.	Description			Pack	Lbs.	(kg)
1QW	Plastic Super-Start™ Waterer	1 Quart (.95)	12 Chicks	7 dia. x 7 1/2 H (18) x (19)	36	11 (5.0)

MASON JAR FOUNTS Mason Jars are not included with any of the bases listed below.

2	Plastic Fount Base, Slip-On	1 Quart (.95)	12 chicks	5 1/2 dia. x 1 Deep x 2 H (14) x (2.5) x (5)	48	9 (4.1)
65	Plastic Fount Base, Threaded	1 Quart (.95)	12 chicks	6 dia. x 1 Deep x 1 1/2 H (15) x (2.5) x (4)	36	7 (3.2)
75	Small Bird Plastic Base, Threaded	1 Quart (.95)	15 quail	4 dia. x 1/2 Deep x 1 3/8 H (10) x (1.2) x (4)	1	.2 (.09)
0	Galvanized Fount Base, Threaded	1 Quart (.95)	12 chicks	5 7/8 dia. x 3/4 Deep x 1 1/2 H (15) x (2) x (4)	36	9 (4.1)
P1QT	Plastic Jar	1 Quart (.95)	12 chicks	3 1/4 dia. x 8 5/8 H (8.2) x (21.3)	36	9 (4.1)

WATER CUPS

CUPP	Plastic Coop Cup	1/2 Pint (.23)	5 chicks	2 3/4 W x 5 L x 1 3/4 H (7.0) x (12.7) x (4.4)	36	4 (2.2)
CUPK	Plastic Coop Cup	1 Pint (.47)	8 chicks	2 1/2 W x 4 1/2 L x 2 1/4 H (6.4) x (11.4) x (5.7)	36	6 (2.7)
CUPQ	Plastic Coop Cup	1 1/2 Pint (.70)	12 chicks	3 3/4 W x 8 L x 3 3/4 H (9.5) x (20.3) x (9.5)	12	4 (1.8)

BROWER ONE AND TWO GALLON FOUNTS

*Our 1GF And 2GF Founts Use The Same Base And
Now You Can Interchange The Jars With A Small Bird Base*



2GF

2GFQ
Small Bird Fount

1GF

1GFQ
Small Bird Fount

ONE GALLON ALL-POLY FOUNT SPECIFICATIONS

Model No.	Description	Water Capacity	Bird Capacity	Overall Size/Inches cm				Trough		Shipping Wt./Pack	
				Dia. (28)	Depth (3.5)	Height (21)	Pack	Lbs. (kg)			
1GF	1 Gallon Poly Fount and Base	1 gallon (3.8 liters)	60 chickens				12	12	12	12	(5.5)
1GFB	1 Gallon Base Only	-	-	-	-	-	12	6	6	6	(2.7)
1GFJ	1 Gallon Jar Only	-	-	-	-	-	12	6	6	6	(2.7)
2GF	2 Gallon Poly Fount and Base	2 gallon (7.6 liters)	100 chicken	11 (28)	1 3/8 (3.5)	16 (40.6)	6	10	10	10	(4.5)
1GFQ	1 Gallon Poly Bird Fount	1 gallon (3.8 liters)	70 quail	10 (25.4)	5/8 (1.6)	8 3/8 (21.3)	6	7	7	7	(3.2)
2GFQ	2 Gallon Poly Bird Fount	2 Gallon (7.6 liters)	120 quail	10 (25.4)	5/8 (1.6)	15 1/2 (39.4)	6	10	10	10	(4.5)
2GF10	2 Gallon Jar Only										
1GFQB	Quail Base Only										

BROWER ALL-POLY TIP-OVER FOUNTS

*Convenient * Durable * Easy To Clean * No Leaks*



3GF



5GF



35PB



AEB

Our tip over fountains are available in 3.5 gallon and 5 gallon capacity. Easy to use...just fill the bucket from any water source, place the poly base over the bucket and tip fountain into an upright position. Easy to clean, can't rust, can't leak. Quick filling trough, 2 1/4" (5.7 cm) wide, 2 3/8" (6 cm) deep.

For colder weather use, troughs will fit on our Model AEB automatic electric base.

**Tip Over Fountain - USA Patent Nos.
 D334,635 and 5,218,926**

Model AEB Automatic Electric Fountain Base. May be used with any size galvanized fountain or with Brower's poly fountains. Element carries 1 year guarantee; 100 watt, 115 volt. Model AEB will keep your fountains open with temperatures in the single digits in a sheltered area. The AEB is not designed for outdoor use where there is apt to be single digit temperatures (or colder) with a wind chill. For use with our 3GF, 4GF, 5GF and 7GF all poly capacity fountains, with any smaller poly fountain or with any galvanized fountain.

ALL-POLY CAPACITY TIP-OVER FOUNT SPECIFICATIONS

Model No.	Description	Water Capacity	Bird Capacity	Overall Size/Inches cm				Shipping Wt./Pack	
				Dia.	Depth	Height	Pack	Ibs. (kg)	
3GF	3 1/2 Gallon Tip-Over Fount and Base	3.5 gallon (13.3 liters)	75 pullets 150 chicks	16 1/2 (41.9)	2 3/8 (6)	12 1/2 (31.8)	3	12 (5.5)	
3GF1	Poly Top Only, 3 1/2 Gal.	-	-	-	-	-	3	7 (3.2)	
35PB	Poly Base Only, used for both 3GF and 5GF	-	-	16 1/2 (41.9)	2 3/8 (6)	-	3	5 (2.3)	
5GF	5 Gallon Poly Tip-Over Fount and Base	5 gallon (18.9 liters)	75 hens 100 pullets	16 1/2 (41.9)	2 3/8 (6)	16 3/8 (41.6)	3	13 (5.9)	
5GF1	Poly Top Only, 5 Gal.	-	-	-	-	-	3	8 (3.6)	
AEB	Automatic Electric Heater Base, 100 watt, 115 Volt	-	-	16 (40.6)	-	3 1/4 (8.3)	1	5 (2.3)	

BROWER ALL-POLY TOP-FILL FOUNTS

Maximum Sanitation And Longevity With Brower's Dura-Founts

Use one of our capacity poly founts and you'll never buy another double wall galvanized fount.

4.5 inch (11.4 cm) opening..
easy to fill and permits cleaning
the inside of the tank.

Seamless tank will not leak.

Tank and trough readily clean.
No soldered seams where
pathogens can hide. Trough
can be removed from tank to
further assist cleaning.

Two built-in handles permit
fount to be carried - even
when full.

Tank is marked in 1 gallon
increments for medicating.

Model 7GF, 7 gallon
(26.5 liter) capacity

For colder weather use,
troughs will fit on our Model
AEB automatic electric base.



Model 4GF, 4 gallon
(15.1 liter) capacity



Model AEB Automatic Electric Fountain Base. May be used with any size galvanized fount or with Brower's poly founts. Element carries 1 year guarantee; 100 watt, 115 volt. Model AEB will keep your founts open with temperatures in the single digits in a sheltered area. The AEB is not designed for outdoor use where there is apt to be single digit temperatures (or colder) with a wind chill. For use with our 3GF, 4GF, 5GF and 7GF all poly capacity founts, with any smaller poly fount or any galvanized fount.

**Top Fill Fount - USA Patent Nos.
D374,952 and 5,829,386**

ALL-POLY CAPACITY DURA-FOUNT SPECIFICATIONS

Model No.	Description	Top Fill Founts		Overall Size/Inches cm				Shipping Wt./Pack	
		Water Capacity	Bird Capacity	Dia.	Depth	Height	Pack	Ibs. (kg)	
4GF	4 Gallon Poly Poultry Fount	4 gallon (15.1 liters)	75 pullets 150 chicks	16 1/2 (41.9)	2 3/8 (6)	16 (40.6)	1	5 (2.3)	
7GF	7 Gallon Poly Poultry Fount	7 gallon (26.5 liters)	90 hens 140 pullets 140 broilers	16 1/2 (41.9)	2 3/8 (6)	21 5/8 (54.9)	1	7 (3.2)	
AEB	Automatic Electric Heater Base, 100 watt, 115 Volt	-	-	16 (40.6)	-	3 1/4 (8.3)	1	5 (2.3)	

BROWER ALL-POLY CAPACITY DRINKERS

More Options!!...We Have A Solution For Every Application

MPD20



Precise Medicating

Gallon markers (from 12 to 20 gallons in 1 gallon increments). Water level easy to read through translucent tank. Markers allow for water in the trough to be at 1 inch (2.54 cm) below flood stage. See page 31 for more features.

UTILITY DRINKER SPECIFICATIONS


Model No.	Description	Water Capacity	Bird Capacity	Width	Inches/cm Length	Drink Height	Overall Height	Shipping Lbs.	Wt./Pack (kg)
MPD20	20 gallon utility fount	20 gallon (75.7 liters)	200 hens	14 (35.6)	26 (66.0)	3 (7.6)	22.5 (57.2)	25	11.4

Valve Guard with nylon fasteners

Uses UFV600 Float Valve (see page 19 for more about the valve)



UFV600



FG200/75DR

TROUGH WATERER SPECIFICATIONS

Model No.	Description	Water Capacity	Bird Capacity	Width	Inches/cm Length	Drink Height	Overall Height	Shipping Lbs.	Wt./Pack (kg)
FG200/75DR	Trough Waterer	2 gallon (7.6 liters)	100 hens	9.0 (22.9)	29.5 (74.9)	4.75 (12.1)	8.0 (20.3)	6.0	(2.7)

For use in flight pens or in other outdoor facilities, invert flaps.



MPM10A 100% Energy Free Drinker

ENERGY FREE GAME BIRD DRINKER SPECIFICATIONS

Model No.	Description	Water Capacity	Bird Capacity	Width	Inches/cm Length	Drink Height	Overall Height	Shipping Lbs.	Wt./Pack (kg)
MPM10A	Game Bird Drinker	10 gallons (37.9 liters)	125 pheasants	19" (48.3)	38" (96.5)	10.75" (27.3)	20" (50.8)	61	(27.7)