

Safety Data Sheet

According to OSHA 29 CFR 1910.1200

Revision date: 3/3/2022 Supersedes version of: 4/4/2019 Version: 3.00

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name Virocid Dye Free

Product code 224 Product group : Disinfectant

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

Use of the substance/mixture : See product bulletin for detailed information

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer Importer

CID LINES NV N.V. Best Veterinary Solutions, Inc Waterpoortstraat, 2 1716 Detroit St BE- B-8900 leper P.O. Box 370 Belgique IA 50075 Ellsworth

T + 32 57 21 78 77 - F +32 57 21 78 79 United States of America sds@cidlines.com - http://www.cidlines.com T 888-378-4045

https://www.bestvetsolutions.com/

1.4. Emergency telephone number

| Country | Organization/Company | Address | Emergency number | Comment |
|---------|---|---------|------------------|---------|
| Canada | CANUTEC Country Organization/Company Address Emergency number Comment | | (613) 996-6666 | |
| USA | American Association of Poison Control Centers | | 1-800-222-1222 | |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Labelling according to OSHA 29 CFR 1910.1200

Acute toxicity (oral) Category 4 H302 Acute toxicity (dermal), Category 4 H312 Acute toxicity (inhalation:vapor) Category 4 H332 Skin corrosion/irritation, Category 1, Sub-Category 1B H314 Respiratory sensitization, Category 1 H334 Skin sensitization, Category 1 H317 H400 Hazardous to the aquatic environment - Acute Hazard Category 1

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

Safety Data Sheet

According to OSHA 29 CFR 1910.1200

2.2. Label elements

Labelling according to OSHA 29 CFR 1910.1200

Hazard pictograms (CLP)



Signal word (CLP) : Danger

Contains : Didecyldimethylammonium chloride, Glutaraldehyde, Quaternary ammonium compounds,

benzyl-C12-16-alkyldimethyl, chlorides

Hazard statements (CLP) : H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled.

H314 - Causes severe skin burns and eye damage.

H317 - May cause an allergic skin reaction.

H334 - May cause an allergy or asthma symptoms or breathing difficulties if inhaled.

H400 - Very toxic to aquatic life.

Precautionary statements (CLP) : P260 - Do not breathe vapors, spray, mist.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a poison center or doctor/physician.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

| Component | | | | |
|---------------------------|--|--|--|--|
| Glutaraldehyde (111-30-8) | This substance/mixture does not meet the PBT criteria of REACH, annex XIII This substance/mixture does not meet the vPvB criteria of REACH, annex XIII | | | |

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

| Component | | | | |
|--------------------------|---|--|--|--|
| Glutaraldehyde(111-30-8) | The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 | | | |

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

Safety Data Sheet

According to OSHA 29 CFR 1910.1200

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|---|---------|---|
| Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides | CAS-No.: 68424-85-1 EC-No.: 270-325-2 | 15 – 30 | Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) |
| Didecyldimethylammonium chloride | CAS-No.: 7173-51-5 EC-No.: 230-525-2 EC Index-No.: 612-131-00-6 | 5 – 15 | Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Aquatic Acute 1, H400 Aquatic Chronic 2, H411 |
| Glutaraldehyde substance listed as REACH Candidate (Glutaral) | CAS-No.: 111-30-8 EC-No.: 203-856-5 EC Index-No.: 605-022-00-X | 5 – 15 | Acute Tox. 3 (Oral), H301 Acute Tox. 2 (Inhalation), H330 Skin Corr. 1B, H314 Resp. Sens. 1, H334 Skin Sens. 1A, H317 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 2, H411 |
| Propan-2-ol | CAS-No.: 67-63-0 EC Index-No.: 200-661-7 | 5 – 15 | Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek

medical attention immediately.

First-aid measures after skin contact Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse. Seek medical advice (show the label where possible).

First-aid measures after eye contact Rinse immediately with plenty of water. Seek medical attention immediately.

First-aid measures after ingestion Rinse mouth. Do not induce vomiting because of corrosive effects. Take to hospital.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Inhalation of vapor can cause breathing difficulties. Cough. Sore throat.

Symptoms/effects after skin contact : Redness, pain. Causes severe skin burns and eye damage. Symptoms/effects after eye contact

: Redness, pain. Blurred vision. Tears. Serious damage to eyes.

Symptoms/effects after ingestion Burning sensation. Cough. Cramps. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract. Swallowing a small quantity of this material will result in

serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Dry chemical. Foam. Carbon dioxide. Unsuitable extinguishing media : Do not use a heavy water stream.

3/3/2022 (Revision date) US-OSHA - en 3/16

Safety Data Sheet

According to OSHA 29 CFR 1910.1200

5.2. Special hazards arising from the substance or mixture

Fire hazard : Not sustained combustibility.

Explosion hazard : Not expected to be a fire/explosion hazard under normal conditions of use.

Reactivity in case of fire : At high temperature may liberate dangerous gases.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Precautionary measures fire : Wear fire/flame resistant/retardant clothing. Eliminate all ignition sources if safe to do so.

Firefighting instructions : Use water spray or fog for cooling exposed containers.

Protection during firefighting : Exercise caution when fighting any chemical fire. Do not enter fire area without proper

protective equipment, including respiratory protection. Wear fire/flame resistant/retardant

clothing. Heat resistant gloves.

Other information : On exposure to high temperature, may decompose, releasing toxic gases.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Spill should be handled by trained cleaning personnel properly equipped with respiratory and eye protection. Stop leak if safe to do so. Prevent from entering sewers, basements and

workpits, or any place where its accumulation can be dangerous.

6.1.1. For non-emergency personnel

Protective equipment : Avoid all unnecessary exposure. Wear suitable protective clothing. Ensure adequate

ventilation. Do not breathe vapors.

Emergency procedures : Do not touch or walk on the spilled product. Evacuate area. Do not breathe vapors. Avoid

contact with skin, eyes and clothing.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Do not touch spilled material. Evacuate unnecessary personnel. Stop leak if safe to do so.

Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Stop leak, if possible without risk. Collect spillage. Use suitable disposal containers.

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

equipment. Do not breathe vapor/aerosol. Provide good ventilation in process area to

prevent formation of vapor.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Handle in accordance with good industrial hygiene and

safety procedures.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool well ventilated place. Do not store in corrodable

metal. Keep container closed when not in use. Protect from freezing.

Storage area : Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

3/3/2022 (Revision date) US-OSHA - en 4/16

Safety Data Sheet

According to OSHA 29 CFR 1910.1200

Packaging materials

: Keep only in original container. Keep in a cool, well-ventilated place.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

| Glutaraldehyde (111-30-8) | | | |
|--|--|--|--|
| USA - ACGIH - Occupational Exposure Limits | | | |
| ACGIH OEL Ceiling [ppm] 0.05 ppm | | | |
| Propan-2-ol (67-63-0) | | | |
| USA - ACGIH - Biological Exposure Indices | | | |
| BEI (BLV) 40 mg/l | | | |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

| Didecyldimethylammonium chloride (7173-51-5) | | | | |
|--|--------------------------------------|--|--|--|
| DNEL/DMEL (Workers) | | | | |
| Long-term - systemic effects, dermal | 8.6 mg/kg bodyweight/day | | | |
| Long-term - systemic effects, inhalation | 18.2 mg/m³ | | | |
| PNEC (Water) | | | | |
| PNEC aqua (freshwater) | 0.002 mg/l Assessment factor: 10 | | | |
| PNEC aqua (marine water) | 0.0002 mg/l Assessment factor: 100 | | | |
| PNEC aqua (intermittent, freshwater) | 0.00029 mg/l Assessment factor: 100 | | | |
| PNEC (Sediment) | | | | |
| PNEC sediment (freshwater) | 2.82 mg/kg dwt Assessment factor: 1 | | | |
| PNEC sediment (marine water) | 0.28 mg/kg dwt Assessment factor: 10 | | | |
| PNEC (Soil) | | | | |
| PNEC soil | 1.4 mg/kg dwt Assessment factor: 50 | | | |
| PNEC (STP) | | | | |
| PNEC sewage treatment plant | 0.595 mg/l Assessment factor: 10 | | | |
| Glutaraldehyde (111-30-8) | | | | |
| DNEL/DMEL (Workers) | | | | |
| Acute - local effects, inhalation | 0.5 mg/m³ | | | |
| Long-term - local effects, inhalation | 0.25 mg/m³ | | | |
| PNEC (Water) | | | | |
| PNEC aqua (freshwater) | 0.0025 mg/l Assessment factor: 10 | | | |

Safety Data Sheet

According to OSHA 29 CFR 1910.1200

| Glutaraldehyde (111-30-8) | |
|--|---|
| PNEC aqua (marine water) | 0.00025 mg/l Assessment factor: 100 |
| PNEC aqua (intermittent, freshwater) | 0.006 mg/l Assessment factor: 100 |
| PNEC (Sediment) | |
| PNEC sediment (freshwater) | 0.527 mg/kg dwt |
| PNEC sediment (marine water) | 0.0527 mg/kg dwt |
| PNEC (Soil) | |
| PNEC soil | 0.03 mg/kg dwt Assessment factor: 50 |
| PNEC (STP) | |
| PNEC sewage treatment plant | 0.8 mg/l Assessment factor: 100 |
| Propan-2-ol (67-63-0) | |
| PNEC (Water) | |
| PNEC aqua (freshwater) | 140.9 mg/l (Assessment factor: 1) |
| PNEC aqua (marine water) | 140.9 mg/l (Assessment factor: 1) |
| PNEC aqua (intermittent, freshwater) | 140.9 mg/l (Assessment factor: 1) |
| PNEC (Sediment) | |
| PNEC sediment (freshwater) | 552 mg/kg dwt |
| PNEC sediment (marine water) | 552 mg/kg dwt |
| PNEC (Soil) | |
| PNEC soil | 28 mg/kg dwt |
| PNEC (Oral) | |
| PNEC oral (secondary poisoning) | 0.00016 kg/kg food (Assessment factor: 30) |
| PNEC (STP) | |
| PNEC sewage treatment plant | 2251 mg/l (Assessment factor: 1) |
| Quaternary ammonium compounds, benzyl-C | 12-16-alkyldimethyl, chlorides (68424-85-1) |
| DNEL/DMEL (Workers) | |
| Long-term - systemic effects, dermal | 5.7 mg/kg bodyweight/day |
| Long-term - systemic effects, inhalation | 3.96 mg/m³ |
| DNEL/DMEL (General population) | |
| Long-term - systemic effects,oral | 3.4 mg/kg bodyweight/day |
| Long-term - systemic effects, dermal | 3.4 mg/kg bodyweight/day |
| Long-term - local effects, inhalation | 1.64 mg/m³ |
| PNEC (Water) | |
| PNEC aqua (freshwater) | 0.0009 mg/l |
| PNEC aqua (marine water) | 0.00096 mg/l |
| PNEC aqua (intermittent, freshwater) | 0.00016 mg/l |
| PNEC (Sediment) | |
| PNEC sediment (freshwater) | 12.27 mg/kg dwt |
| PNEC sediment (marine water) | 13.09 mg/kg dwt |

Safety Data Sheet

According to OSHA 29 CFR 1910.1200

| Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1) | | | |
|--|--|--|--|
| PNEC (Soil) | | | |
| PNEC soil 7 mg/kg dwt | | | |
| PNEC (STP) | | | |
| PNEC sewage treatment plant 0.4 mg/l | | | |

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):









8.2.2.1. Eye and face protection

Eye protection:

Wear security glasses which protect from splashes. Safety glasses with side shields

| Eye protection | | | | |
|---|----------------------|-----------------|----------|--|
| Туре | Field of application | Characteristics | Standard | |
| Safety glasses, Face shield, Safety glasses with side shields | Droplet | clear, Plastic | EN 166 | |

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

| Skin and body protection | | | |
|--------------------------|--------------------------|--|--|
| Туре | Standard | | |
| protective clothing | EN14605:2005+A 1:2009 | | |

Hand protection:

Wear suitable gloves resistant to chemical penetration

| Hand protection | | | | | | |
|--|-------------------------|-------------------|-----|-----------|--------------|--|
| Type Material Permeation Thickness (mm) Penetration Standard | | | | | | |
| Reusable gloves | Polyvinylchloride (PVC) | 6 (> 480 minutes) | 0.5 | 2 (< 1.5) | EN ISO 374 | |
| Reusable gloves | butyl rubber | 6 (> 480 minutes) | 0.7 | 2 (< 1.5) | EN ISO 374-1 | |
| Disposable gloves | Nitrile rubber (NBR) | 6 (> 480 minutes) | 0.4 | 2 (< 1.5) | EN ISO 374-1 | |

8.2.2.3. Respiratory protection

Respiratory protection:

Appropriate dust or mist respirator should be used if airborne particles are generated when handling this material

Safety Data Sheet

According to OSHA 29 CFR 1910.1200

| Respiratory protection | | | | |
|------------------------|-------------|---|----------------|--|
| Device | Filter type | Condition | Standard | |
| Half-mask | ABEK-P2 | Protection for Liquid particles, vapor protection, Long term exposure | EN 132, EN 140 | |

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

When using do not eat, drink or smoke. Provide local exhaust or general room ventilation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Color : Colorless.
Appearance : clear.
Odor : Not available

Odor threshold : The product has not been tested Melting point : The product has not been tested Freezing point : The product has not been tested Boiling point : The product has not been tested

Flammability : Not applicable

Oxidizing properties : Non oxidizing material according to EC criteria.

Explosion limits : Not available
Lower explosion limit : Not available
Upper explosion limit : Not available

Flash point : 39.8 °C Does not sustain combustion per ASTM D4206

Auto-ignition temperature : The product has not been tested Decomposition temperature : The product has not been tested

pH : 3-5 Viscosity, kinematic : Not available Solubility : Water: 100 %

Ethanol: The product has not been tested
Ether: The product has not been tested
Acetone: The product has not been tested
Organic solvent: The product has not been tested

Partition coefficient n-octanol/water (Log Kow) : The product has not been tested Partition coefficient n-octanol/water (Log Pow) : The product has not been tested Vapor pressure : The product has not been tested Vapor pressure at 50 °C : The product has not been tested Critical pressure : The product has not been tested

Density : $\approx 1 \text{ kg/l}$

Relative density : The product has not been tested Relative vapor density at 20 °C : The product has not been tested Relative density of saturated gas/air mixture : The product has not been tested

Particle size : Not applicable Particle size distribution : Not applicable Particle shape : Not applicable : Not applicable Particle aspect ratio Particle aggregation state : Not applicable : Not applicable Particle agglomeration state : Not applicable Particle specific surface area Particle dustiness : Not applicable

Safety Data Sheet

According to OSHA 29 CFR 1910.1200

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Not sustained combustibility

Critical temperature : The product has not been tested

9.2.2. Other safety characteristics

Relative evaporation rate (butyl acetate=1) : The product has not been tested Relative evaporation rate (ether=1) The product has not been tested Relative evaporation rate (water=1) The product has not been tested Relative evaporation rate (ethanol=1) : The product has not been tested

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal conditions

10.2. Chemical stability

Stable under use and storage conditions as recommended in section 7.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Flame. Heating. Protect from sunlight.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Thermal decomposition generates: Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed. Acute toxicity (dermal) Harmful in contact with skin. Acute toxicity (inhalation) Harmful if inhaled.

| Virocid Dye Free | |
|--|------------------------|
| ATE CLP (oral) | 500 mg/kg body weight |
| ATE CLP (dermal) | 1100 mg/kg body weight |
| ATE CLP (vapors) | 11 mg/l/4h |
| Didecyldimethylammonium chloride (7173-51-5) | |
| LD50 oral 238 mg/kg | |
| Glutaraldehyde (111-30-8) | |

| LD50 oral | 77 mg/kg |
|-----------------------------------|--------------|
| LC50 Inhalation - Rat (Dust/Mist) | 0.28 mg/l/4h |

Propan-2-ol (67-63-0)

| D50 oral rat | 4700 – 5500 mg/kg |
|--------------|-------------------|
|--------------|-------------------|

Safety Data Sheet

According to OSHA 29 CFR 1910.1200

| Propan-2-ol (67-63-0) | |
|-----------------------------------|--|
| LC50 Inhalation - Rat | 46 – 73 mg/l/4h |
| Quaternary ammonium compounds | s, benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1) |
| LD50 oral | 344 mg/kg |
| LD50 dermal | 300 mg/kg |
| Skin corrosion/irritation | : Causes severe skin burns. pH: 3 – 5 |
| Serious eye damage/irritation | : Assumed to cause serious eye damage pH: 3 – 5 |
| Respiratory or skin sensitization | : May cause an allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| STOT-single exposure | : Not classified |
| Glutaraldehyde (111-30-8) | |
| STOT-single exposure | May cause respiratory irritation. |
| Propan-2-ol (67-63-0) | |
| STOT-single exposure | May cause drowsiness or dizziness. |
| STOT-repeated exposure | : Not classified |
| Aspiration hazard | : Not classified |
| 11.2 Information on other hazarda | |

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : This product contains hazardous components for the environment.

: Not classified

Hazardous to the aquatic environment, short-term : Very toxic to aquatic life.

(acute)

Hazardous to the aquatic environment, long-term

(chronic)

critoric)

| Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1) | |
|--|-----------------|
| LC50 - Other aquatic organisms [1] | 0.03 mg/l Algae |

12.2. Persistence and degradability

| Virocid Dye Free | |
|-------------------------------|---|
| Persistence and degradability | The surfactant contained in this preparation complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. |
| Propan-2-ol (67-63-0) | |
| Biodegradation | 95 % |

12.3. Bioaccumulative potential

| Virocid Dye Free | |
|---|---------------------------------|
| Partition coefficient n-octanol/water (Log Pow) | The product has not been tested |
| Partition coefficient n-octanol/water (Log Kow) | The product has not been tested |

Safety Data Sheet

According to OSHA 29 CFR 1910.1200

| Virocid Dye Free | |
|--|-------|
| Bioaccumulative potential No indication of bioaccumulation potential. | |
| Didecyldimethylammonium chloride (7173-51-5) | |
| Partition coefficient n-octanol/water (Log Kow) | 2.59 |
| Glutaraldehyde (111-30-8) | |
| Partition coefficient n-octanol/water (Log Kow) | -0.36 |
| Propan-2-ol (67-63-0) | |
| Partition coefficient n-octanol/water (Log Kow) 0.05 | |
| Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1) | |
| Partition coefficient n-octanol/water (Log Kow) | 2.96 |

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

| Component | |
|---------------------------|--|
| Glutaraldehyde (111-30-8) | This substance/mixture does not meet the PBT criteria of REACH, annex XIII This substance/mixture does not meet the vPvB criteria of REACH, annex XIII |

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Dispose in a safe manner in accordance with local/national regulations.

Waste treatment methods : Dispose of this material and its container at hazardous or special waste collection point.

Hazardous waste due to toxicity. Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.

Sewage disposal recommendations : Disposal must be done according to official regulations.

Product/Packaging disposal recommendations : When totally empty, containers are recyclable like any other packing. Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment.

Ecology - waste materials : Avoid release to the environment. Hazardous waste due to toxicity.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

 UN-No. (ADR)
 : UN 1760

 UN-No. (IMDG)
 : UN 1760

 UN-No. (IATA)
 : UN 1760

 UN-No. (ADN)
 : UN 1760

 UN-No. (RID)
 : UN 1760

Safety Data Sheet

According to OSHA 29 CFR 1910.1200

14.2. UN proper shipping name

: CORROSIVE LIQUID, N.O.S. (Alkyldimethylbenzylammoniumchloride Glutaraldehyde) Proper Shipping Name (ADR) Proper Shipping Name (IMDG) CORROSIVE LIQUID, N.O.S. (CONTAINS Alkyldimethylbenzylammoniumchloride

Glutaraldehyde)

Proper Shipping Name (IATA) : CORROSIVE LIQUID, N.O.S. (CONTAINS Alkyldimethylbenzylammoniumchloride

Glutaraldehyde)

Proper Shipping Name (ADN) : CORROSIVE LIQUID, N.O.S. (Alkyldimethylbenzylammoniumchloride Glutaraldehyde) Proper Shipping Name (RID) CORROSIVE LIQUID, N.O.S. (Alkyldimethylbenzylammoniumchloride Glutaraldehyde) Transport document description (ADR)

: UN 1760 CORROSIVE LIQUID, N.O.S. (Alkyldimethylbenzylammoniumchloride

Glutaraldehyde), 8, III, (E), ENVIRONMENTALLY HAZARDOUS

: UN 1760 CORROSIVE LIQUID, N.O.S. (CONTAINS Alkyldimethylbenzylammoniumchloride Glutaraldehyde), 8, III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS

: UN 1760 CORROSIVE LIQUID, N.O.S. (CONTAINS Alkyldimethylbenzylammoniumchloride

Glutaraldehyde), 8, III, ENVIRONMENTALLY HAZARDOUS

: UN 1760 CORROSIVE LIQUID, N.O.S. (Alkyldimethylbenzylammoniumchloride

Glutaraldehyde), 8, III, ENVIRONMENTALLY HAZARDOUS

: UN 1760 CORROSIVE LIQUID, N.O.S. (Alkyldimethylbenzylammoniumchloride

Glutaraldehyde), 8, III, ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

Transport document description (IMDG)

Transport document description (IATA)

Transport document description (ADN)

Transport document description (RID)

ADR

Transport hazard class(es) (ADR) : 8 Hazard labels (ADR) 8



IMDG

Transport hazard class(es) (IMDG) 8 Hazard labels (IMDG)



IATA

Transport hazard class(es) (IATA) 8 8 Hazard labels (IATA)



ADN

Transport hazard class(es) (ADN) 8 Hazard labels (ADN)



RID

Transport hazard class(es) (RID) : 8 Hazard labels (RID) 8

Safety Data Sheet

According to OSHA 29 CFR 1910.1200



14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes

Other information : Clean up even minor leaks or spills, if possible, without unnecessary risk

14.6. Special precautions for user

Special transport precautions : Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in

the event of an accident or an emergency, No naked flames, sparks, and do not smoke, Keep public away from danger area, NOTIFY POLICE AND FIRE BRIGADE IMMEDIATELY

Overland transport

Classification code (ADR) : C9
Special provision (ADR) : 274
Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T7
Portable tank and bulk container special provisions : TP1, TP28

(ADR)

Tank code (ADR) : L4BN
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12

Hazard identification number (Kemler No.) : 80

Orange plates : 80

Tunnel restriction code (ADR) : E

Transport by sea

Special provision (IMDG) : 223, 274 Packing instructions (IMDG) P001, LP01 : IBC03 IBC packing instructions (IMDG) Tank instructions (IMDG) T7 Tank special provisions (IMDG) : TP1, TP28 EmS-No. (Fire) : F-A : S-B EmS-No. (Spillage) Stowage category (IMDG) : A Stowage and handling (IMDG) : SW2

Properties and observations (IMDG) : Causes burns to skin, eyes and mucous membranes.

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y841
PCA limited quantity max net quantity (IATA) : 1L
PCA packing instructions (IATA) : 852

Safety Data Sheet

According to OSHA 29 CFR 1910.1200

PCA max net quantity (IATA) : 5L
CAO packing instructions (IATA) : 856
CAO max net quantity (IATA) : 60L
Special provision (IATA) : A3, A803
ERG code (IATA) : 8L

Inland waterway transport

Classification code (ADN) : C9
Special provision (ADN) : 274
Limited quantities (ADN) : 5 L
Excepted quantities (ADN) : E1
Carriage permitted (ADN) : T
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : C9
Special provision (RID) : 274
Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Mixed packing provisions (RID) : MP19

Portable tank and bulk container instructions (RID) : T7

Portable tank and bulk container special provisions : TP1, TP28

(RID)

Tank codes for RID tanks (RID) : L4BN
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12
Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 80

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains a substance on the REACH candidate list: Glutaral (EC 203-856-5, CAS 111-30-8)

Contains no REACH Annex XIV substances.

Substances subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 july 2012 concerning the export and import of hazardous chemicals: Didecyldimethylammonium chloride (7173-51-5)

Contains no substance(s) subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Other regulations, restrictions and prohibition

regulations

: Ensure all national/local regulations are observed. PIC Regulation EU (649/2012) - Export and Import of hazardous chemicals. {0} is subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 july 2012 concerning the export and import of hazardous chemicals.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

Safety Data Sheet

According to OSHA 29 CFR 1910.1200

SECTION 16: Other information

Other information

: DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

| Full text of H- and EUH | I-phrases: |
|------------------------------------|---|
| Acute Tox. 2 (Inhalation) | Acute toxicity (inhalation) Category 2 |
| Acute Tox. 3 (Dermal) | Acute toxicity (dermal), Category 3 |
| Acute Tox. 3 (Oral) | Acute toxicity (oral) Category 3 |
| Acute Tox. 4 (Dermal) | Acute toxicity (dermal), Category 4 |
| Acute Tox. 4 (Inhalation:vapor) | Acute toxicity (inhalation:vapor) Category 4 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral) Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment - Acute Hazard Category 1 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment - Chronic Hazard Category 2 |
| Eye Dam. 1 | Serious eye damage/eye irritation Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Flam. Liq. 2 | Flammable liquids Category 2 |
| H225 | Highly flammable liquid and vapor. |
| H301 | Toxic if swallowed. |
| H302 | Harmful if swallowed. |
| H311 | Toxic in contact with skin. |
| H312 | Harmful in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H330 | Fatal if inhaled. |
| H332 | Harmful if inhaled. |
| H334 | May cause an allergy or asthma symptoms or breathing difficulties if inhaled. |
| H335 | May cause respiratory irritation. |
| H336 | May cause drowsiness or dizziness. |
| H400 | Very toxic to aquatic life. |
| H411 | Toxic to aquatic life with long lasting effects. |
| Resp. Sens. 1 | Respiratory sensitization, Category 1 |
| Skin Corr. 1B | Skin corrosion/irritation, Category 1, Sub-Category 1B |
| Skin Sens. 1 | Skin sensitization, Category 1 |

Safety Data Sheet

According to OSHA 29 CFR 1910.1200

| Full text of H- and EUH-phrases: | |
|----------------------------------|--|
| Skin Sens. 1A | Skin sensitization, Category 1A |
| STOT SE 3 | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation |

SDS_U

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.