

Equimax® Paste (BIMEDA, INC.)

Label

Use/Dose

Equimax® Paste (*Bimeda*)

Ingredient(s): ivermectin, praziquantel

Use: Cestodes, control and/or treatment
Gastrointestinal parasites, systemic treatment/control
Lungworm infection, control/treatment
Onchocerciasis, control/treatment
Summer sores (*Habronema/Draschia*), control/treatment

Species: Horses

RoA: Oral

Dose: 200 mcg ivermectin/kg (91 mcg/lb) and 1.5 mg/kg (0.68 mg/lb) praziquantel b.w.
One syringe/1,320 lb horse. Treat foals at 4 weeks of age, and repeat treatment prn.

WT Notes: Do not use in horses intended for human consumption.

THIS SERVICE AND INCLUDED DATA ARE PROVIDED "AS IS" WITHOUT ANY EXPRESS OR IMPLIED REPRESENTATION OR WARRANTY. Without limiting the foregoing, the service and data are based on third party data, and DVMetrics is not responsible or liable for such third-party data. Each user assumes full risk, responsibility, and liability related to use of the service and data. The service and data are further subject to the Terms of Use.

By using this site, you agree to the [Terms of Use](#) and [Privacy Policy](#).

Copyright 2025 - DVMetrics & Services LLC